







NOVA CABLE COMPANY



An ISO 9001:2015 Certified Company













COMPANY PROFILE

Nova Cable Company (NCC) is one of the most reliable and reputed names in the business of Telecom Products & Solutions to Private sector as well as govt. sector. NCC established in 1993 and headquartered at New Delhi, was one of the first organizations to start manufacturing Coaxial Cables in 2005, we started manufacturing Optical Fibre Patch Cords & Accessories. In Oct' 2021 we also started manufacturing Optical Fibre Cables up to 12F unarmoured Cable. Our brands TM Scientific, Geberit and TNT in Coaxial Cables and Fibre Optics are well established and have pan India reach through our distribution network. We have a very competent & qualified team along with distribution network to cater various products to the entire satisfaction of our esteemed clients.

Everything we do at NCC is built on a platform based on solid core values designed and implemented to serve our clients. We faster the spirit of team work in ensuring that our clients view us as partners in their business. Our products are shaped by each client's unique needs and business context, aimed at giving the best of their spend.

Complete commitment to our core values, to our clients, to our people; to innovation and knowledge have helped us remain the most reliable partner to our clients.













QUALITY POLICY

We at NCC are committed to satisfying the need of our customers, clients and all stakeholders by ensuring timeliness, reliability, afford ability and trustworthiness of our products and services.

We are committed to try to exceed customer expectation through adherence to internationally recognized quality management systems. It is this commitment to quality that allows us to deliver exceptional quality products to our clients.

Our mission is to provide technology and solutions with an expertise, so that the end user can access the internet at the speed of light. We want every home in India, to be a smart home and provide enough digital infrastructure that allows everyone to be a part of the digital society.

Our aim is to add value to our partners by simplifying their digital infrastructure needs and work in association with them to deliver more than just equipment but bring innovative, real-world solutions for all their IT needs.













INFRASTRUCTURE

At NCC our mission is to be a leader in innovation and development of Telecom Products. We view ourselves as Products & Solutions provider to our clients. We are committed to providing world class telecommunication products through design and development of cutting edge, reliable and cost efffective products.











EXHIBITION

At NCC our mission is to be a leader in innovation and development of Telecom Products. We view ourselves as Products & Solutions provider to our clients. We are committed to providing world class telecommunication products through design and development of cutting edge, reliable and cost efffective products.















1. Optical Fiber Cable

- > Single Tube: 2F to 12F
- Multitube Armoured: 2F to 288F
- Multitube Unarmoured: 12F to 48F
- 2. Simplex Cable: 2mm & 3mm
- 3. Duplex Cable
 - ➤ Single and Multimode Both
- 4. FTTH
- **➤ Single Fiber**
- Dual Fiber
- Figure 8
- 5. LAN Cables
 - **≻ CAT 6**
 - > CAT 6E
- 6. CPRI Cables
- 7. Coaxial Cables
 - > RG 6
 - > RG 11





CPRI CABLE

ALL TYPES OF CUSTOMIZABLE FIBER CABLE AVAILABLE





CPRI Armored Single Mode Optical Fiber Cable

Fiber Mode: Singlemode Armoring: Armored

Fiber Type: 9/125 m Optical Fiber

Fiber Count: 2

Cable Dia.: 8.2 ± 0.2mm

Connector: LC-LC

Operating Temp.: -40degC to +85degC



CPRI Armored Multi Mode Optical Fiber Cable

Fiber Mode:Multimode OM4

Armoring:Armored

Fiber Count:2

Cable Dia.:8.2 ± 0.2mm Connector:LC-LC, Duplex

IP Protection:IP68 (with waterproof boot)
Operating Temp.:-40degC to +85degC



CPRI Cable Assembly DLC/PC, Multi-Mode, GYFJH-2A1a(OM2), LSZH, Armored

Fiber Mode:Multimode OM2

Armoring:Armored

Cable Dia.:7.0 ± 0.2mm

Connector:LC-LC, Duplex

Fiber Type:GYFJH-2A1a(OM2)

Operating Temp.:-40degC to +60degC



CPRI Armored Single-mode Outdoor Cable

Fiber Mode:Single Mode

Armoring:Armored

Fiber Count:2

Cable Dia.:4.8 ± 0.2mm

Connector:LC-LC, Duplex

IP Protection: IP66 & IP67

Operating Temp.:-40degC to +75degC



Follow us: (a) (f) (in) (D) (P)